

## ICR 300H2-600TVL

### Description

The ICR-300H2-600TVL is a vari-focal weather proof day/night vandal-resistant dome camera. The camera comes with a 4.0-9.0mm vari-focal lens and utilizes a 600TVL 1/3 Sony CCD sensor.

The cameras design incorporates 36 long range, spread spectrum Infra Red (IR) diodes. These powerful IR illuminators allow for very clear viewing even in pitch black lighting conditions.

The location of the external zoom and focus adjustments make installing the ICR-300H2-600TVL easy irrespective of the cameras positional location.

The camera is fully weatherproof rendering it suitable for exterior or interior installation.

The ICR 300H2-600TVL is available in two colours: black, white.



### SPECIFICATIONS

<b>Image Sensor</b>	1/3" SONY Super HAD CCD
<b>Resolution</b>	600 TV Lines
<b>Effective Pixel</b>	NTSC: 768 (H) x 494 (V) PAL: 752 (H) x 582 (V)
<b>Minimum Illumination</b>	0.1 Lux Colour; 0 Lux (Infrared IR on)
<b>S/N Ratio</b>	>50dB
<b>Signal Format</b>	NTSC / PAL
<b>Lens</b>	4mm-9mm Vari-Focal
<b>Gain Control</b>	AUTO
<b>Auto Shutter (AES)</b>	NTSC/EIA: 1/60 ~ 1/20,000 sec.;
<b>Gamma Correction</b>	0.45
<b>White Balance</b>	Auto
<b>Infrared LED Range</b>	Up to 60 feet
<b>Video Output</b>	BNC 1.0Vp-p 75 Ohm
<b>Power Supply</b>	12V DC
<b>Power Consumption</b>	350mA
<b>Working Temperature</b>	-10°C ~ +40°C ( 14°F ~ 104°F)
<b>Working Humidity</b>	10% - 90%
<b>Barometric Pressure</b>	86kpa - 106kpa